L Number	Hits	Search Text	DB	Time stamp
-	6143	distribut\$3 with file with system	USPAT;	2004/06/18 16:22
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	11	byzantine with group	USPAT;	2004/06/17 19:05
	11	byzancine with group	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004406447 40 06
-	72	byzantine with fault	USPAT; US-PGPUB;	2004/06/17 19:06
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	63	(byzantine with fault) not (byzantine with	USPAT;	2004/06/17 19:06
		group)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	6	((byzantine with fault) not (byzantine	USPAT;	2004/06/17 19:34
-		with group)) and director\$3	US-PGPUB;	
		Jroap/, a arrowsty	EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/06/15 15 5:
-	1	(distribut\$3 with file with system) and	USPAT;	2004/06/17 19:34
		<pre>(((byzantine with fault) not (byzantine with group)) not ((byzantine with fault)</pre>	US-PGPUB; EPO; JPO;	
		not (byzantine with group)) and	DERWENT;	
		director\$3))	IBM TDB	
_	57		USPAT;	2004/06/17 19:43
		with group)) not (((byzantine with fault)	US-PGPUB;	
		not (byzantine with group)) and	EPO; JPO;	
		director\$3)	DERWENT;	
	17	///hyganting with fault) not /hyganting	IBM_TDB USPAT;	2004/06/17 19:43
-	17	<pre>(((byzantine with fault) not (byzantine with group)) not (((byzantine with fault)</pre>	US-PGPUB;	2004/00/17 19.43
		not (byzantine with group)) and	EPO; JPO;	
		director\$3)) and (distribut\$3 with	DERWENT;	-
		computer\$1)	IBM_TDB	
-	6143	distribut\$3 with file with system	USPAT;	2004/06/18 16:22
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	2207	(distribut\$3 with file with system) and	USPĀT;	2004/06/18 16:23
		director\$3	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	52	((distribut\$3 with file with system) and	USPAT;	2004/06/18 17:03
	52	director\$3) and (hierarch\$5 with	US-PGPUB;	= = = = = = = = = = = = = = = = = = =
		namespace)	EPO; JPO;	
		-	DERWENT;	
			IBM_TDB	0004/05/10 15 05
-	22	(((distribut\$3 with file with system) and	USPAT;	2004/06/18 16:25
		director\$3) and (hierarch\$5 with namespace)) and (director\$3 with entr\$3)	US-PGPUB; EPO; JPO;	
		namespace), and (directorys with entrys)	DERWENT;	
			IBM TDB	
_	30	(((distribut\$3 with file with system) and	USPĀT;	2004/06/18 17:03
	ŀ	director\$3) and (hierarch\$5 with	US-PGPUB;	
		namespace)) not ((((distribut\$3 with file	EPO; JPO;	
		with system) and director\$3) and	DERWENT; IBM_TDB	
		(hierarch\$5 with namespace)) and (director\$3 with entr\$3))	TDM_10B	
L		(GTTECCOLA) MICH CHCTAN)	l,	L

-	27		USPAT;	2004/06/18 17:21
1		director\$3) and (hierarch\$5 with	US-PGPUB;	
		namespace)) not ((((distribut\$3 with file	EPO; JPO;	
		with system) and director\$3) and	DERWENT;	
		(hierarch\$5 with namespace)) and	IBM_TDB	
		(director\$3 with entr\$3))) and		
		(distribut\$3 with computers)		
-	21	(serverless with distribut\$3) and	USPAT;	2004/06/21 18:44
		director\$3	US-PGPUB;	
			EPO; JPO;	
	}		DERWENT;	
			IBM_TDB	
_	7	Farsite	USPAT;	2004/06/21 18:28
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	2	"global file stores"	USPAT;	2004/06/21 18:29
			US-PGPUB;	
			EPO; JPO;	
_			DERWENT;	
			IBM_TDB	
-	198	"global file" .	USPAT;	2004/06/21 18:29
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	12	"global file" and serverless	USPAT;	2004/06/21 18:29
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	6	(serverless with distribut\$3) and	USPAT;	2004/06/21 18:44
		director\$3 and Byzantine	US-PGPUB;	
	1		EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	29	serverless with distribut\$3	USPAT;	2004/06/23 15:14
	Ì		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	2004/06/04 11 05
-	2	("6067545").PN.	USPAT;	2004/06/24 11:25
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_	//UCOCTEAEU) DV ) and discrete coco and	IBM_TDB	2004/06/24 11:38
-	1	(("6067545").PN.) and director\$3 and	USPAT;	2004/00/24 11:38
		serverless	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		///UCOCZEAEUN DNI N amd di	IBM_TDB	2004/06/24 11:27
-	0	((("6067545").PN.) and director\$3) and	USPAT; US-PGPUB;	2004/06/24 11:27
		distribut\$3 and file\$1 and hierarchical		
			EPO; JPO;	
			DERWENT;	
		(//UCOC7EAEN) DN \ and dimark-100) and	IBM_TDB	2004/06/24 11:27
-	+	((("6067545").PN.) and director\$3) and	USPAT;	2004/00/24 11:2/
1		distribut\$3 and file\$1	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		//////COCTEACH) DN ) and discrete A2) d	IBM_TDB	2004/06/24 11:27
-	1		USPAT;	2004/00/24 11:2/
1		distribut\$3 and file\$1) and lock	US-PGPUB; EPO; JPO;	
1			DERWENT; IBM TDB	
			TDM IND	

1 (("6067545").PN.) and serverless USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO;	4 12:39 4 12:39 4 12:40 4 12:40
EPO; JPO; DERWENT; IBM TDB USFAT; US-PGPUB; EPO; JPO; DERWENT; IBM	4 12:40 4 12:40 4 12:41
DERWENT; IEM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IEM TDB USPĀT; US-PGPUB;	4 12:40 4 12:40 4 12:41
byantine and directory    TBM TDB USPAT; US-FGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-FGPUB; US-FGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-FGPUB; US-FG	4 12:40 4 12:40 4 12:41
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IEM_TDB USPAT; US-PGPUB;	4 12:40 4 12:40 4 12:41
US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB;	4 12:40 4 12:40 4 12:41
DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB;	4 12:40 4 12:40 4 12:41
- 41 byzantine and directory	4 12:40 4 12:40 4 12:41
- 41 byzantine and directory USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; I	4 12:40 4 12:40 4 12:41
US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB;	4 12:40 4 12:40 4 12:41
- 6 (byzantine and directory) and serverless USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB  - 35 (byzantine and directory) not ((byzantine and directory) and serverless)  - 34 ((byzantine and directory) not ((byzantine and directory) and serverless))  - 34 ((byzantine and directory) not ((byzantine and directory) and serverless)) and directory) and serverless))  - 34 ((byzantine and directory) not ((byzantine and directory) and serverless))  - 35 (byzantine and directory) not ((byzantine and directory) poenwent; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; US-PGPU	4 12:40
- 6 (byzantine and directory) and serverless   DERWENT; IBM TDB   USPAT; US-PGPUB; EPC; JPO; DERWENT; IBM TDB   USPAT; US-PGPUB; EPC; DPC; DPC; DPC; DPC; DPC; DPC; DPC; D	4 12:40
- 6 (byzantine and directory) and serverless   IBM_TDB   USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPĀT; US-PGPUB; US-PGPUB; US-PGPUB;	4 12:40
- 6 (byzantine and directory) and serverless USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; USPĀT; US-PGPUB; USPĀT; US-PGPUB; USPĀT; US-PGPUB; USPĀT; US-PGPUB;	4 12:40
US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; IBM TDB US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB;	4 12:40
- 35 (byzantine and directory) not ((byzantine and directory) and serverless)  - 34 ((byzantine and directory) not ((byzantine and directory) and serverless)) and directory) and serverless)) and directory) and serverless)) and directory) and serverless)) and delegat\$3 with certificate  - 198 delegat\$3 with certificate  - 2 (delegat\$3 with certificate) and (hierarchical with namespace)    EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB;	4 12:41
- 35 (byzantine and directory) not ((byzantine and directory) and serverless)  - 34 ((byzantine and directory) not ((byzantine and directory) and serverless)) and directory) and serverless)) and distribut\$3  - 198 delegat\$3 with certificate  - 2 (delegat\$3 with certificate) and (hierarchical with namespace)    IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   US-PGPUB;	4 12:41
- 35 (byzantine and directory) not ((byzantine and directory) and serverless)  - 34 ((byzantine and directory) not ((byzantine and directory) and serverless)) and directory) and serverless)) and distribut\$3  - 198 delegat\$3 with certificate  - 2 (delegat\$3 with certificate) and (bierarchical with namespace)  - 2 (delegat\$3 with certificate) and (bierarchical with namespace)  - 35 (byzantine and directory) not ((byzantine BPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB;	4 12:41
and directory) and serverless)  - 34 ((byzantine and directory) not ((byzantine and directory) and serverless)) and distribut\$3  - 198 delegat\$3 with certificate  - 2 (delegat\$3 with certificate) and (hierarchical with namespace)  US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	4 12:41
- 34 ((byzantine and directory) not ((byzantine and directory) and serverless)) and distribut\$3  - 198 delegat\$3 with certificate  2 (delegat\$3 with certificate) and (hierarchical with namespace)  EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; US-PGPUB; US-PGPUB;	
- 34 ((byzantine and directory) not ((byzantine and directory) and serverless)) and distribut\$3  - 198 delegat\$3 with certificate  2 (delegat\$3 with certificate) and (hierarchical with namespace)  DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; US-PGPUB;	
- 34 ((byzantine and directory) not ((byzantine and directory) and serverless)) and distribut\$3 (US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; US-PGPUB;	
- 34 ((byzantine and directory) not ((byzantine and directory) and serverless)) and distribut\$3 (US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB;	
and directory) and serverless)) and distribut\$3  - 198 delegat\$3 with certificate USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; US-PGPUB;	
distribut\$3  - 198 delegat\$3 with certificate  - 2 (delegat\$3 with certificate) and (hierarchical with namespace)  EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	A 17.10
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAD;	A 17.10
- 198 delegat\$3 with certificate USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAD;	A 17.10
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; (hierarchical with namespace)  US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	1 17.10
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; (delegat\$3 with certificate) and (hierarchical with namespace) US-PGPUB;	4 T/:TZ
DERWENT; IBM_TDB USPAT; (hierarchical with namespace)  DERWENT; IBM_TDB USPAT; US-PGPUB;	
- 2 (delegat\$3 with certificate) and USPAT; 2004/06/2 (hierarchical with namespace) US-PGPUB;	
- 2 (delegat\$3 with certificate) and USPAT; 2004/06/2 (hierarchical with namespace) US-PGPUB;	
(hierarchical with namespace) US-PGPUB;	4 17.15
	4 17:15
EPO; JPO;	
DERWENT;	
IBM TDB	
- 2 (delegat\$3 with certificate) and delegat\$3 USPAT; 2004/06/2	4 17:16
with subtree   US-PGPUB;	
EPO; JPO;	
DERWENT;	
IBM_TDB	1 17-10
- 2 (delegat\$3 with certificate) and USPAT; 2004/06/2 (delegat\$3 with subtree) US-PGPUB;	4 1/:10
(delegat\$3 with subtree) US-PGPUB; EPO; JPO;	
DERWENT;	
IBM TDB	
- 2 (delegat\$3 with certificate) and USPAT; 2004/06/2	4 17:16
(delegat\$3 with tree) US-PGPUB;	
EPO; JPO;	
DERWENT;	
IBM_TDB	E 10 CC
- 50236 open with lock USPAT; 2004/06/2	5 13:55
US-PGPUB; EPO; JPO;	
DERWENT;	
IBM TDB	
- 4 (open with lock) and serverless USPAT; 2004/06/2	5 13:55
US-PGPUB;	
EPO; JPO;	
DERWENT;	
IBM_TDB	
- 18517 insert with lock USPAT; 2004/06/2	5 13:59
US-PGPUB;	
EPO; JPO;	
DERWENT; IBM TDB	
I BM_100	

-	2	(insert with lock) and serverless	USPAT; US-PGPUB;	2004/06/25 13:55
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2631	(open with lock) and (insert with lock)	USPAT;	2004/06/25 13:59
	4		US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	15	((open with lock) and (insert with lock))	USPAT;	2004/06/25 14:05
_	13	and director\$3	US-PGPUB;	2001,00,20
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1712	"insert lock"	USPAT;	2004/06/25 14:06
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	2	"insert lock" and "delete lock"	USPAT;	2004/06/25 14:06
	_		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		   "insert lock" and (manag\$3 with directory)	IBM_TDB   USPAT;	2004/06/25 14:07
-	2	"insert lock" and (manages with directory)	US-PGPUB;	2004/00/25 14.07
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	"insert lock" and directory	USPAT;	2004/06/25 14:07
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	359	lock with (insert\$3 or creat\$3 or add\$3)	USPAT;	2004/06/25 14:28
		with (files or director\$3)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	209	(lock with (insert\$3 or creat\$3 or add\$3)	IBM_TDB USPAT;	2004/06/25 14:28
_	209	with (files or director\$3)) and director\$3	US-PGPUB;	2004/00/23 14.20
		and allowed allowed by and allowed by	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	86		USPĀT;	2004/06/25 14:28
		<pre>with (files or director\$3)) and director\$3) and (distribut\$3 with file</pre>	US-PGPUB; EPO; JPO;	
		with system)	DERWENT;	
			IBM TDB	
-	14	(((lock with (insert\$3 or creat\$3 or	USPĀT;	2004/06/25 17:07
		add\$3) with (files or director\$3)) and	US-PGPUB;	
		director\$3) and (distribut\$3 with file	EPO; JPO;	
		with system)) and serverless	DERWENT; IBM TDB	
<u> </u>	4	"09236366"	USPAT;	2004/06/25 17:08
	"	37233300	US-PGPUB;	
			EPO; JPO;	
	]		DERWENT;	
			IBM TDB	